

Safety Data Sheet

(SDS)

Samples Name: PROMASTONE EPOXY COLORED SAND FLOOR PAINT

Model: /

Client Name: Proma lead global limited Uk

Address: 90d highstreet London.

Zip Code: E17 7LD

Summary: According to customer's requirements, the content and format of this chemical safety technical specification are compiled according to GB/T 17519-2013 Guidelines for the Preparation of Chemical Safety Technical Specifications.

Remarks: This chemical safety technical specification is compiled according to the information provided by customers.

APPROVED BY:



Technology Manager



This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name: See item 3 for details

Manufacturer: Pingdingshan Jinsheng Building Materials Co., Ltd.

Address: Lu'an County, Pingdingshan City, Henan Province. In the northeastern part of Puiguo Wu Village (eastern side of Lu Yang Gongjiu Factory)

Contact: Mr.promise

Emergency consultation telephone number : +447897053295

Email: info@promaleadglobal.co.uk

Recommended and restricted uses of chemicals: Industrial coatings.

Section 2 - Hazards Identification

Hazard category of substance or mixture

Chemicals are classified according to GB/T 17519-2013.

Acute oral toxicity Category 4

Skin corrosion / irritation Category 2

Severe Eye Damage / Eye Irritation Category 2

Specific Target Organ Toxicity, Single Exposure, Category 3

Pictograph:



Warning words: warning

Hazard statement:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 may cause respiratory irritation.

[Preventive measures]

P264 Thoroughly clean after operation.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/clothes/goggles/masks.

P261 Avoid inhaling dust/smoke/gas/smoke/vapor/spray.

P271 can only be used outdoors or in a well-ventilated place.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

Report No.: HPT261924654ME

Report Date: September 2nd, 2026

Page: 3 of 9

Accident response:

P332+P313 If skin irritation occurs: seek medical attention.

P362+P364 Remove contaminated clothing and wash before reusing

P305+P351+P338. If it gets into the eyes, rinse carefully with water for a few minutes. If you wear contact lenses and can easily remove them, take out the contact lenses. Continue rinsing.

P337+P313 If eye irritation persists: seek medical attention.

P304+P340 If accidentally inhaled: Move the person to a place with fresh air and maintain a comfortable breathing position.

P312 If feeling unwell, call the detoxification center/doctor

Waste disposal: the contents/containers shall be disposed according to local/regional/national/international regulations.

Invasion route: inhalation, ingestion!

Health hazards: wallowing is harmful. Cause skin irritation. Causes severe eye irritation. It can cause respiratory tract irritation.

Environmental hazards: No data.

Danger of explosion: This product has no danger of explosion.

Section 3 –Composition/Information on Ingredients**3.1 Substances****3.2 Mixtures■**

Description: A mixture composed of the following components containing harmless additives.

Chemical Name	Composition (in% by weight)	CAS No.
Epoxy resin	66.7%	9003-01-4
Colored sand	33.3%	51762-67-5

Section 4 - First Aid Measures**4.1 Essentials of emergency measures**

General instructions: Immediately remove the clothes stained with the product.

Inhalation: Provide fresh air and ensure that a doctor is called.

If the patient is not clear, please let them lie on their side for easy movement.

Skin contact: Immediately rinse thoroughly with water and soap.

Eye contact: Open your eyes and rinse under running water for several minutes. If the symptoms continue, consult a

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China
Tel: 86-0755-2309 2593 86-13117584928 Email: huiputest@163.com

doctor.

Ingestion: If symptoms persist, consult a doctor.

4.2 Most important acute and chronic symptoms and their effects: No detailed information available.

4.3 Symptoms that require timely medical treatment and special treatment: No detailed information available.

Section 5 - Fire Fighting Measures

5.1 Fire extinguishing agents

Suitable fire extinguishing agent: Use fire extinguishing measures suitable for the surrounding environment.

5.2 Special hazards of substances or mixtures: No detailed information available.

5.3 Information for firefighters

Protective equipment: No special measures required.

Section 6 –Accidental Release Measures

6.1 Personal protective measures, protective equipment, and emergency response procedures: No requirements.

6.2 Environmental protection measures: Do not let the product come into contact with the sewage system or any water source. If it seeps into the water source or sewage system, please notify the relevant authorities. Dilute with a large amount of water. Do not allow it to enter the sewer/water surface or groundwater.

6.3 Methods and materials for containment and removal of leaks:

Absorb liquid bonding materials (sand particles, diatomaceous earth, acidic adhesives, universal adhesives, sawdust). Dispose of contaminated materials according to Section 13.

Ensure that there is sufficient ventilation.

6.4 Refer to other parts:

Please refer to Section 7 for information on safe handling.

For information on personal protective equipment, see Section 8.

Please refer to Section 13 for information on disposal

Section 7 - Handling and Storage

7.1 Preventive measures for safe operation and disposal: Ensure that the workplace has good ventilation/exhaust devices. Prevent the formation of aerosols. Please refer to Section 8 for general occupational health measures.

Information on fire and explosion prevention: No special measures are required.

7.2 Safe storage conditions, including any incompatibilities

Requirements to be met for storage and containers: There are no special requirements.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China
Tel: 86-0755-2309 2593 86-13117584928 Email: huiputest@163.com

Report No.: HPT261924654ME

Report Date: September 2nd, 2026

Page: 5 of 9

Information about storage in shared storage facilities: The storage area must be kept away from food. The storage area must be kept away from water sources.

More information about storage conditions: Seal the container.

7.3 Specific end use: No detailed information available.

Section 8 - Exposure Controls, Personal Protection

8.1. Control parameters

Ingredients that require limit monitoring in the workplace: Not applicable

Regulatory Information AGW (D): TRGS 900

Derivative concentration value without impact: No detailed information available

Estimated concentration values with no significant impact : No relevant detailed information

Additional information: A valid list during the production period will be used as a basis.

8.2 Exposure Control Based on the ingredient information listed in Part 3, it is recommended to adopt the following safety measures in occupational exposure control

Appropriate technical control: stay away from food, beverages, and feed. Immediately remove all unclean and contaminated clothing. Please clean your hands before rest and after work. Avoid contact with eyes and skin. Please refer to Part 7 for information on technical facility design.

Personal protective measures, such as personal protective equipment

Respiratory system protection:

(Continued from page 3)

If you have had brief contact or in low pollution situations, please use a respiratory filtration device. If you have been in deep or prolonged contact, please use a separate respiratory protective device.

Hand protection:



Protective gloves

The material of gloves must be impermeable and resistant to the product/substance/additive. Due to the lack of testing, no recommendations for glove materials will be provided for products/formulations/chemical mixtures. When selecting glove materials, please pay attention to the penetration time, filtration rate, and degradation parameters of the material.

Glove material:

Choosing the right glove not only depends on the material, but also on the quality characteristics and which manufacturer it comes from. Because this product is made of many materials, the resistance of the glove material is unpredictable, so it must be checked before use.

Time of penetration of glove material: Please obtain accurate rupture time from the manufacturer of labor protection gloves and observe the actual rupture time.



Eye/face protection: Sealed goggles

Skin and body protection: Protective work clothes

Thermal hazard: Not required under normal use.

Environmental exposure control: Control measures must comply with environmental protection regulations.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

Section 9 - Physical and Chemical Properties

9.1 Information about basic physical and chemical characteristics

Appearance:	Paste-like substance
Color:	Off-white
Odor:	Odorless
Meltingpoint/freezingpoint:	Norelevantdetailedinformation available
Boiling point or initial boiling point and boiling range:	No relevant detailed information available
Flammability:	No relevant detailed information available
Explosion limit :	No relevant detailed information available
Lower limit:	No relevant detailed information available
Upper limit:	No relevant details available
Flash point:	90℃
Self ignition temperature:	No relevant detailed information available
Decomposition temperature:	No detailed information available
pH:	No relevant details available
Dynamic viscosity:	No detailed information available
Solubility : Water:	No detailed information available
n-octanol/water partition coefficient (logarithmic value):	No relevant detailed information available
Vapor pressure:	No relevant detailed information available
Density/relative density :	No relevant detailed information available
Density:	No relevant detailed information available
Relative density:	No relevant detailed information available
Relative vapor density:	No detailed information available

Section 10 - Stability and Reactivity

- 10.1 Reactivity: No detailed information available.
- 10.2 chemical stability: No relevant details.
- 10.3 Possibility of hazardous reactions: There are no known hazardous reactions.
- 10.4 Conditions to avoid: No relevant detailed information available.
- 10.5 Incompatible substances: No detailed information available.
- 10.6 Hazardous decomposition products: Unknown hazardous decomposition products.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China
Tel: 86-0755-2309 2593 86-13117584928 Email: huiputest@163.com

Section 11 - Toxicological Information

11.1 Information on hazard categories defined in EU Regulation (EC) No. 1272/2008

Acute toxicity: No detailed information available.

Skin corrosion/irritation: No detailed information available.

Serious eye damage/eye irritation: No detailed information available.

Respiratory or skin allergies: No detailed information available.

germ cell mutagenicity: according to the existing data, it does not meet the classification criteria.

Carcinogenicity: According to existing data, it does not meet the classification criteria.

reproductive toxicity: according to the available data, the classification criteria are not met.

Specific target organ systemic toxicity - single exposure: According to existing data, it does not meet the classification criteria.

Specific target organ systemic toxicity - repeated exposure: Based on existing data, does not meet classification criteria.

Inhalation hazard: According to existing data, it does not meet the classification criteria.

11.2 Information on other hazards

Endocrine disrupting properties: No detailed information available.

Other information: No known other relevant information on adverse health effects.

Section 12 - Ecological Information

12.1 Ecological toxicity

Aquatic toxicity: No detailed information available.

12.2 Persistence and degradability: No detailed information available.

12.3 Potential bioaccumulation: No detailed information available.

12.4 Soil mobility: No detailed information available.

12.5 PBT (persistent, bioaccumulative, and toxic substances) and vPvB (highly persistent and bioaccumulative substances) evaluation results

PBT (persistent, bioaccumulative, and toxic substances): Not applicable

vPvB (high persistence and high bioaccumulation substances): Not applicable

12.6 Endocrine disrupting properties: This product does not contain substances with endocrine disrupting properties.

12.7 Other side effects: No detailed information available.

Section 13 - Disposal Considerations

13.1 Waste disposal methods

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurrer to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District, Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com

Report No.: HPT261924654ME

Report Date: September 2nd, 2026

Page: 8 of 9

Suggestion: Do not dispose of this product together with household waste. Do not let the product come into contact with the sewage system.

Contaminated containers and packaging:

Suggestion: It must be discarded according to official regulations.

Section 14 - Transport Information

14.1 United Nations dangerous goods number (Horn UN) : No Data

ADR/RID/ADN, IMDG, IATA:

Unclassified

14.2 UNAppropriate shipping name

ADR/RID/AND:

Unclassified

14.3 Transportation hazard grade

ADR/RID/ADN, IMDG, IATA:

Unclassified

Level:

Unclassified

14.4 PACKING GROUP

ADR/RID/ADN, IMDG, IATA:

Unclassified

14.5 Environmental hazards:

No relevant details available.

Marine pollutants:

No relevant details available.

Special marking (ADR/RID/ADN):

No relevant details available.

Special marking (IATA):

No relevant details available.

14.6 Special precautions for users

No relevant details available.

Danger coding:

No relevant details available.

EMSnumber:

No relevant details available.

Stowage Category:

No relevant details available

14.7 Transportation/Additional Information: According to IMDGCODE 42-24, this sample is not controlled by the transportation of dangerous goods.

Section 15 - Regulatory Information

15.1 Other provisions of relevant safety, health and environmental laws and regulations for substances or mixtures
Comply with the following regulatory requirements.

Regulations on the Safety Administration of Hazardous Chemicals Decree of The State Council No. 591.

GB/T16483 Chemical safety technical specification content and project sequence.

GB13690 General Principles of chemical classification and hazard formula.

GB 30000.2-29 Specification for classification and labelling of chemicals.

GB15258 Chemical safety label preparation regulations.

All components are listed in the China Existing List of Chemical Substances (IECSC), either exempted or confirmed by the supplier.

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology
Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District,
Shenzhen, Guangdong, China

Tel: 86-0755-2309 2593

86-13117584928

Email: huiputest@163.com



SDS

According to GB/T 17519-2013.

Report No.: HPT261924654ME

Report Date: September 2nd, 2026

Page: 9 of 9

Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

*****End of SDS*****

This Test report shall be invalid if it is not stamped with the special seal for report. Report alteration, self-addition and deletion are invalid. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated, the results presented in this report only apply to the samples tested this time. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Shenzhen Huipu Testing Technology
Co., Ltd.

Add: Unit 2, Building B3, Sunshine Garden, Guanghua Community, Jihua Street, Longgang District,
Shenzhen, Guangdong, China
Tel: 86-0755-2309 2593 86-13117584928 Email: huiputest@163.com